

	<b>INDIAN SCHOOL ALWADI AL KABIR</b>	
<b>Class: XII</b>	<b>Department: SCIENCE 2022 - 23</b> <b>SUBJECT : PHYSICS</b>	<b>Date of submission:</b> <b>14/05/2022</b>
<b>Worksheet No: 02</b> <b>WITH ANSWERS</b>	<b>CHAPTER: ELECTRICAL POTENTIAL</b> <b>AND CAPACITANCE</b>	<b>Note:</b> <b>A4 FILE FORMAT</b>
<b>Name of the student:</b>	<b>Class &amp; Sec:</b>	<b>Roll No:</b>

SECTION A[1 marks]

[1] The graph shows the variation of potential with distance from a fixed point charge, find the electric field 3m from the point charge.



$$E = -\frac{dv}{dr} = -15\text{v/m}$$

[2] When charge is supplied to a conductor, its potential depends upon:

[a] amount of charge, geometry and size of the conductor


[3] A dipole is placed parallel to electric field .If W is the workdone in rotating the dipole from  $0^\circ$  to  $60^\circ$  ,then work done in rotating it from  $0^\circ$  to  $180^\circ$  is

4W

[4] A parallel plate capacitor is charged by a battery. Once it is charged, battery is removed. Now a dielectric material is inserted between the plates of the capacitor, which of the electrical quantity does not change?

charge on the plates

[5] The potential at the centre of the square is



Zero

### SECTION B [2 marks]

[6] A  $4\mu\text{F}$  capacitor is charged by a  $200\text{ V}$  supply. It is then disconnected from the supply and is connected to another  $2\mu\text{F}$  capacitor. How much energy of the first capacitor is lost in the form of radiation?

$$\text{Energy lost} = E_1 - E_2 = 2.67 \times 10^{-2} \text{ J}$$

[7] The electric field intensity at a point due to a point charge is  $20\text{ N/C}$  and the electric potential is  $10\text{ J/C}$ . Find the magnitude of the charge and distance of the point from charge.

$$V = \frac{kQ}{r}, \quad E = V/d$$

$$Q = 0.55 \times 10^{-9} \text{ C}$$

[8] A capacitor with air between the plates has a capacitance of  $8\text{ F}$ . The separation between the plates is now reduced by half and the space between them is filled with a medium of dielectric constant  $5$ . Calculate the value of the capacitance of the capacitor in second case.

$$C = \frac{\epsilon_0 A}{d}$$

$$C^1 = 80\text{ F}$$

### SECTION C [3 marks]

[9] A charge  $+1\mu\text{C}$  is placed at a distance of  $0.1\text{ m}$  from another charge of  $+4\mu\text{C}$  in air. At what point on the line joining the charges, is the electric field intensity zero?

$$[x = 10/3 \text{ cm from } +1\mu\text{C}]$$

[10] Two point charges of  $+3 \times 10^{-19}\text{ C}$  and  $+12 \times 10^{-19}\text{ C}$  are separated by a distance of  $2.5\text{ m}$ . Find the point on the line joining them where electric field intensity is zero.

$$[x = 5/3 \text{ cm from } 12 \times 10^{-19} \text{ C}]$$

[11][a] Define electrostatic potential energy [b] Derive the expression for electrostatic potential energy of a system of 3 charges  $q_1, q_2$  and  $q_3$

[12] Derive the expression for the capacitance of a capacitor in presence of a dielectric

### **Assertion-Reasoning type questions**

Read the following questions and choose any of the following four responses.

- (A) If both Assertion and Reason are true and the Reason is the correct explanation of the Assertion.  
(B) If both Assertion and Reason are true and the Reason is not a correct explanation of the Assertion.  
(C) If Assertion is true but the Reason is false  
(D) If both Assertion and Reason are false

[13] Assertion(A):

The potential difference between any two points in an electric field depends only on initial and final position.

Reason(R):

Electric field is a conservative field so the work done per unit positive charge does not depend on path followed.

[a]

[14] Assertion :

If the distance between parallel plates of a capacitor is halved and dielectric having dielectric constant is three inserted between the plates of capacitor, then the capacitance becomes 6 times.

Reason :

Capacity of the capacitor does not depend upon the nature of the material. Ans: C

### **[15] Case study base question:**

Capacitance is the ratio of the change in the electric charge of a system to the corresponding change in its electrical potential. Capacitor consists of two metal plates which are filled with dielectric. When a voltage is applied to these plates an electric current flow charging up one plate with a positive charge with respect to the supply voltage and the other plate with an equal and opposite negative charge. The generalized equation for the charge stored in a capacitor is given by  $q=CV$ , where  $C$  is the capacitance of the capacitor

1. The capacitance of a capacitor does not depend on  
a. Area of plates b. Separation between the plates c. Applied potential difference d. Dielectric constant

2. A parallel plate air capacitor with no dielectric between the plates is connected to the constant voltage source. How would capacitance and charge change if dielectric of

dielectric constant  $K=2$  is inserted between the plates.  $C_0$  and  $Q_0$  are the capacitance and charge of the capacitor before the introduction of the dielectric.

- a.  $C=C_0/2$  ;  $Q=2Q_0$
- b.  $C=2C_0$  ;  $Q=Q_0/2$
- c.  $C=C_0/2$  ;  $Q=Q_0/2$
- d.  $C=2C_0$  ;  $Q=2Q_0$

3. Capacity of a parallel plate condenser can be increased by

- (a) increasing the distance between the plates
- (b) increasing the thickness of the plates
- (c) decreasing the thickness of the plates
- (d) decreasing the distance between the plates

4. In a charged capacitor, the energy is stored in

- (a) the negative charges
- (b) the positive charges
- (c) the field between the plates
- (d) both (a) and (b)

Ans: 1 – c, 2 – d, 3 – d, 4 – c,

SECTION D [ 5 marks ]

[16] Derive the expression for capacitance of a parallel plate capacitor

[17] Derive the expression for energy stored in a capacitor

[18] What is an electric dipole. Derive an expression for electrostatic potential energy of an electric dipole in an external electric field of strength  $E$ .

<b>Prepared by Mr. William</b>	<b>Checked by : HOD - SCIENCE</b>
--------------------------------	-----------------------------------