
	INDIAN SCHOOL AL WADI AL KABIR		
Class: XII	Department: SCIENCE 2023 – 24 SUBJECT: BIOLOGY	Date of submission: APRIL 2023	
HANDOUTS	TOPIC : REPRODUCTIVE HEALTH	Note: A4 FILE FORMAT	
NAME OF THE STUDENT		CLASS & SEC:	ROLL NO.

Reproductive Health: Problem and Strategies

- India was amongst the first countries in the world to initiate to the programme “family planning” initiated in 1951.
- Reproductive health in a society forms a crucial part of general health.
- Improved programs covering wider reproduction-related areas are currently in operation under the popular name ‘Reproductive and child health care (RCH) program.’
- Health and education of young people and marriage and childbearing during more mature stages of life are important attributes to the reproductive health of a society.

Measures were taken by Government:

- Through the help of audio-visuals & print media.
- Even family members and close relations are involved in the awareness.
- Sex education was introduced in schools to provide awareness
- Proper information about reproductive organs, adolescence & related changes, safe & hygienic sexual practices, sexually transmitted diseases, AIDS, etc.

Amniocentesis – It is a technique used to find out chromosomal abnormalities in developing embryos by using amniotic fluid.

- It is also misused to check foetal sex determination based on the chromosomal pattern in the amniotic fluid surrounding the developing embryo.

Population Explosion and Birth Control

- Steps to overcome population explosion-

1. Using various contraceptive methods.
 2. Educating people about the demerits of a large family.
 3. Increasing the marriageable age of female and male
 4. Providing incentives to parents having 1 or 2 children.
- **Contraceptive methods** are used to prevent unwanted pregnancy and modify the menstrual cycle.
 - An ideal contraceptive should be-
 1. User friendly
 2. Easily available
 3. Effective
 4. Reversible
 5. No side effects
 6. No way interferes with sexual desire and sexual act.

Contraceptive methods could be divided into the following categories-

- **Natural methods** work on the principle of avoiding chances of ovum and sperm meeting. It includes-
 - a) **Periodic abstinence**– the couples avoid coitus from day 10 to 17 of menstrual cycle as chances of fertilisation are very high during this period, it is called the fertile period.
 - b) **Withdrawal or coitus interruptus** – male partner withdraws penis from vagina just before ejaculation to avoid insemination .
 - c) **Lactational Amenorrhea** – absence of menstruation after parturition and due to intense milk feeding and no ovulation in this period , chances of fertilisation is nil.
- **In Barrier methods**, ovum and sperms are prevented from physical meeting with help of barrier. This includes-
 - a) **Condoms**– used by male, barrier made of rubber or latex sheet used to cover penis or vagina and cervix of female. It also prevents from STDs.

condom for female

b) **Diaphragms, cervical cap and vaults** are barrier made of rubber that is inserted into the female reproductive tract during coitus.

- . Spermicidal creams, jellies and foams are usually used along with these barriers to increase their contraceptive efficiency.
- Advantages of barrier methods:
 1. They are disposable.
 2. They can be self–inserted.

3. They are reusable.
4. Prevents conception by blocking the entry of sperm through the cervix.

- **Intra uterine Devices**– inserted by doctor or trained nurse into the female uterus through vagina. IUCDs may be non-medicated IUDs (e.g., Lippes loop), copper releasing IUDs (CuT, Cu7, Multiload 375) and the hormone releasing IUDs (Progestasert, LNG-20)
- IUCDs increase the phagocytosis of sperm in uterus and copper reduce the motility and fertility capacity of sperms. The hormone releasing IUDs make the uterus unsuitable for implantation and the cervix hostile to the sperms. It is ideal for female who wants to delay pregnancy and spacing between two children.
- **Oral Pills** are progesterone or progesterone-estrogen combination used by females in form of tablets. They inhibit ovulation and implantation as well as change the quality of cervical mucus to prevent/ retard entry of sperms. Administration of progesterone or progesterone-estrogen combination within 72 hours of coitus is found to be very effective as emergency contraceptive.
- **Surgical method** – This method is also called **sterilisation**.
- It is used as terminal method of contraception in male and female to prevent any more pregnancy.

Tubectomy

- **Vasectomy** is the surgical method in male; a small part of the vas deferens is removed or tied up through a small incision on the scrotum to prevent release of sperms.
- **Tubectomy** is the surgical method in females in which small part of fallopian tube is removed surgically.
- These techniques are highly effective but their reversibility is very poor

Side effects of contraceptive method:

- It is very important that the selection of contraceptive method should be taken under the consultation of the doctors.
- They have ill-effects like nausea, abdominal pain, breakthrough bleeding, irregular menstrual bleeding or even breast cancer.

Sexually Transmitted Disease (STDs)

Diseases or infections which are transmitted through sexual intercourse are collectively called sexually transmitted disease or venereal disease (VD) or reproductive tract infection (RTI).

- Some common STDs are Gonorrhoea, syphilis, genital herpes, chlamydiosis, genital warts, trichomoniasis, hepatitis-Ba and AIDS.
- Hepatitis-B and HIV is also transmitted by sharing of injection needles, surgical instruments with infected person, transfusion of blood, or from infected mother to foetus.

- Except genital herpes, HIV and hepatitis-B are completely curable if detected earlier and treated properly.
- Timely detection and proper treatment of STDs are very important otherwise it could lead to complications later, which include pelvic inflammatory diseases (PID), abortions, still births, ectopic pregnancies, infertility or even cancer of the reproductive tract.
- Infections of STDs can be prevented by-

a) Avoid sex with unknown partners/multiple partners.

b) Always use condoms during coitus.

c) Go to a qualified doctor in case of doubt for early detection and get complete treatment if diagnosed.

Infertility: The couples which are unable to reproduce children in spite of unprotected sexual cohabitation are called infertile. The reasons for this could be many-physical, congenital, diseases, drugs, Immunological or even Psychological.

- Infertile couples can be assisted to have children through certain special techniques commonly called **assisted reproductive technologies (ART)**, which include-

In vitro fertilisation (IVF)-fertilisation outside the body followed by embryo transfer, which is commonly called test tube baby program. The ovum from the wife/donor and sperms from husband/ donor are collected and induced to fertilize in laboratory conditions. The zygote or early embryo (8 blastomeres) could be transferred into fallopian tube called **ZIFT** (zygote infra fallopian transfer) and embryo with more than 8 blastomeres **IUT** (intra uterine transfer) into the uterus to complete the further development.

GIFT (gamete intra fallopian transfer) –transfer of gametes collected from a donor into fallopian tube of another female who do not produce ovum.

Intra cytoplasmic sperm injection (ICSI)-specialized procedure to form an embryo in laboratory in which sperm is directly injected into ovum.

Artificial insemination- infertility cases in which male partner is unable to produce healthy sperms are treated by this technique in which semen collected from donor is artificially introduced into vagina or into uterus, **IUI (intra uterine insemination)** of the female.

All these techniques require extremely high precision handling by specialized professional and expensive instruments. Therefore, their benefits are limited to certain countries and people.

Prepared by: Ms. Agnes Aranha	Checked by: HOD – SCIENCE & FRENCH
----------------------------------	---------------------------------------