



INDIAN SCHOOL AL WADI AL KABIR



CLASS: VIII	DEPARTMENT: SCIENCE 2023 - 2024	DATE: 21-08-2023
TEXTBOOK Q & A	TOPIC: COMBUSTION AND FLAME	NOTE: A4 FILE FORMAT
NAME OF THE STUDENT:	CLASS & SEC:	ROLL NO.

1. List conditions under which combustion can take place.

Ans: The burning of a substance in the presence of oxygen is defined as combustion.

The conditions under which combustion can take place are -

- The presence of air or oxygen.
- The presence of a combustible substance.
- Attainment of ignition temperature

2. Fill in the blanks.

(a) Burning of wood and coal causes _____ of air.

(b) A liquid fuel, used in homes is _____ .

(c) Fuel must be heated to its _____ before it starts burning.

(d) The fire produced by oil cannot be controlled by _____ .

(a) Burning of wood and coal causes **Pollution** of air.

(b) A liquid fuel, used in homes is **Kerosene**.

(c) Fuel must be heated to its **ignition temperature** before it starts burning.

(d) The fire produced by oil cannot be controlled by **Water**.

3. Explain how the use of CNG in automobiles has reduced pollution in our cities.

Ans: CNG played an important role in reducing pollution among automobiles for the following reasons:

- CNG is comparatively a cleaner fuel.
- The CNG can be an alternative to diesel, petrol and LPG.
- It usually contains a few undesirable gases than the other fuels mentioned above.
- The combustion of fuels like petroleum causes many unburnt carbon particles along with carbon monoxide, which leads to respiratory diseases.

4. Compare LPG and wood as fuels

Ans: WOOD

- It is considered a traditional fuel used for both domestic and industrial purposes.
- Wood produces a lot of smoke which pollutes the atmosphere and causes respiratory diseases.
- The usage of wood to a large extent causes deforestation.
- The calorific value of wood ranges between 17000 to 22000 kJ/kg
- However, wood may be used as a furnace, stove or fireplace indoors while it is used for a campfire, or furnace outdoors.

LPG

- The usage of LPG (Liquefied petroleum gas) has replaced wood.
- It doesn't release smoke and other pollutants.
- It is a cleaner fuel.
- The fuel efficiency of LPG is more than that of wood.
- The calorific value of LPG is 55000 kJ/kg.
- Hence, LPG is the most preferred choice.

5. Give reasons.

(a) Water is not used to control fires involving electrical equipment.

(b) LPG is a better domestic fuel than wood.

(c) Paper by itself catches fire easily whereas a piece of paper wrapped around an aluminium pipe does not.

Ans: a)

- Water is a good conductor of electricity.
- If added to an electrical fire, the water would just spread the electricity further.
- The person dousing the fire might get an electric shock

b)


- LPG being a cleaner fuel than wood doesn't release smoke and other pollutants.
- Wood, on the other hand, releases a lot of smoke and fumes polluting the atmosphere causing pollution and leading to respiratory diseases.

c)

- The paper by itself catches fire easily because of its low ignition temperature.

- The piece of paper wrapped around an aluminium pipe doesn't catch fire because aluminium absorbs heat, so the paper does not attain its ignition temperature.

6. Make a labelled diagram of a candle flame.



7. Name the unit in which the calorific value of a fuel is expressed.

Ans: Calorific value is defined as the energy contained in the fuel. It is expressed in the form kJ/kg (kJ=kilo joules and kg=kilogram)

8. Explain how CO₂ can control fires.

Ans: CO₂ is a non-combustible gas and extinguishes fire in two ways:

(i) It is heavier than oxygen and it covers the fire like a blanket and cuts off the contact between oxygen and fuel.

(ii) In cylinders, CO₂ is kept in the liquid form. When released, it expands enormously. This brings down the temperature of the fuel, which helps in controlling the fire.

9. It is difficult to burn a heap of green leaves but dry leaves catch fire easily. Explain.

Ans: A heap of green leaves contains a lot of moisture in it, hence its ignition temperature is high. Therefore, it does not catch fire easily. But dry leaves have no moisture content in them, hence their ignition temperature is low. Therefore, it catches fire easily.

10. Which zone of a flame does a goldsmith use for melting gold and silver and why?

Ans: The goldsmith mainly uses non-luminous flame which is termed to be the outermost part of the flame. This part of the flame is used because the outermost flame undergoes complete combustion and is considered the hottest part of the flame.

11. In an experiment, 4.5 kg of fuel was completely burnt. The heat produced was measured to be 180,000 kJ. Calculate the calorific value of the fuel.

The heat produced by 4.5 kg of fuel = 180000 kJ

$$\begin{aligned}\text{Therefore, the heat produced by 1 kg of fuel} &= \frac{180000}{4.5} \times 1 \\ &= 40,000 \text{ kJ/kg}\end{aligned}$$

Hence, the calorific value of the fuel is 40,000 kJ/kg.

12. Can the process of rusting be called combustion? Discuss.

The rusting of iron is an example of slow combustion. Combustion is a chemical process in which a substance reacts with oxygen to give off heat and other products. During rusting, iron reacts with oxygen and water to form iron oxide (rust). Hence, it is a combustion reaction in which very little heat is liberated.

13. Abida and Ramesh were doing an experiment in which water was to be heated in a beaker. Abida kept the beaker near the wick in the yellow part of the candle flame. Ramesh kept the beaker in the outermost part of the flame. Whose water will get heated in a shorter time?

Ans: The water placed in the outermost part of the flame will be heated in a short time since it is a non-luminous flame and is regarded as the hottest part of the flame. So, Ramesh's beaker will be heated first. However, Abida who placed the beaker in the luminous flame (yellow flame) is comparatively less hot.

PREPARED BY MS. SREEJA A	CHECKED BY : HOD SCIENCE & FRENCH
-----------------------------	--------------------------------------